



Codego Crypto
Deposit Webhook

Codego Crypto Deposit Webhook:

We will notify you crypto deposit via webhook

Web Service – Webhook Deposit Transaction

All the communication will be done via webhook call. You have to provide your endpoint url where transaction status will be sent from our side.

Note: **'event-request-key'** will be sent in the webhook request to verify at your end if this request is real (This key will be provided initially by our team)

Field Details

All the web service responses should be in JSON format .

E.g

```
{"event": "received-crypto-amount", "whitelabel_id": "fddd43-dfvfd32-dfgghn9-xsds333", "unique_id": "axeg5k01-usy5j8f9-6q", "address": "TR4kfg32cb9gieln2g1gd7u7l65zqm5cle", "hashid": "Td345nkn45j54lkvdfnkvjdf", "receiver_amount": "202.00", "coin": "usdt", "network": "trc-20"}
```

Header Request

This will be the response sent on your webhook header request.

Output Field	Type	Description
event-request-key	String	This request will be sent in webhook request (Header Request)

Request Details

This will be the response sent on your web hook url.

Output Field	Type	Description
event	String	Received-crypto-amount (When someone deposit into wallet address)
whitelabel_id	String	You can match with your whitelabel_id
unique_id	String	This wallet addresses a unique id, to find the address in the wallet.

address	String	Wallet address
hashid	String	Transaction hasid (Unique)
receiver_amount	String	Receive Crypto Amount.
coin	String	Coin name(usdt, btc eth)
network	String	Network only check if deposit in token coin e.g usdt (erc-20 ,trc-20)